




14575-247 COMPACPRO DESKTOP CASE, UNSHIELDED, 4 U, 63 HP, 391 MM











KEY FEATURES

Desktop case for individual assembly Aluminum construction ensures robust solution International dimensions in accordance with IEC 6297-3-101 Side panel with integrated handle function Front and rear identical, depth-symmetrical construction Ventilation slots in base plate IP 20 in accordance with IEC 60529

PRODUCT ATTRIBUTES

Product Type: Case

Product Family: CompacPRO

Type: Case for Individual Electronic Components

Rack Height: 4 U
Height: 191.6 mm
Usable Height: 173.8 mm
Rack Width: 63 HP
Width: 364 mm
Usable Width: 326 mm
Depth: 391 mm
EMC Shielding: No
Static Load: 30 kg
Protection Rating: IP20
Front Frame Construction: Single Piece
Cooling Option: No
Complies With: IEC 60297-3-103
Package Quantity: 1

ADDITIONAL PRODUCT DETAILS

The nVent SCHROFF CompacPRO case provides electronics protection for 19" and individual electronic assemblies. The aluminum die cast frame and profile sidepanels guarantee a robust solution. In addition an extensive accessory range is available.

GND / earthing connections in accordance with

CERTIFICATIONS



North America

All locations +1.763.422.2661 Chat with us: schroff.nvent.com

Europe

Straubenhardt, Germany +49.7082.794.0 Betschdorf, France +33.3.88.90.64.90 Warsaw, Poland +48.22.209.98.35 Assago, Italy +39.02.932.7141 Chat with us: schroff.nvent.com

Asia

Shanghai, China +86.21.2412.6943 Qingdao, China +86.532.8771.6101 Singapore +65.6768.5800 Shin-Yokohama, Japan +81.45.476.0271 Chat with us: schroff.nvent.com

nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

Middle East & India

Dubai, United Arab Emirates +971.4.378.1700 Bangalore, India +91.80.6715.2001 Istanbul, Turkey +90.216.250.7374 Chat with us: schroff.nvent.com



© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

Our powerful portfolio of brands:

nVent reserves the right to change specifications without notice.